

CONTEMPORARY  
GAS FIREPLACES



[www.regency-fire.com](http://www.regency-fire.com)



CONTEMPORARY  
GAS FIREPLACES

# why choose Regency?

## Fire Transformed to Art

My vision was to elevate the role of a fireplace beyond the heating function to a highly stylized art form for today's trend toward modern homes. I focused on clean lines crafted from unique materials and finishes. These elegant frames wrap artfully around a fire that dances evocatively from a fire bed blanketed in vibrant crystals or a seamless river of pebbles. Prepare to impress.

## Regency Quality ... Beauty that Heats

For over 35 years Regency has carefully researched trends to develop fireplaces that fit your needs. A perfect combination of function and beauty; each Regency is a high efficiency heater with a beautiful view. Cut your heating bills by turning your furnace way down in most of your rooms and enjoy high efficiency, controllable heat in the living areas you spend time in. And, all Regency products operate during power outages.


## Lifetime Warranty

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each and every Regency, that I offer a Limited Lifetime Warranty. We know that you will be as proud of your Regency Contemporary Collection Fireplace as we are – I guarantee it.



Robert Little  
Founder & CEO





## index

### Contemporary Gas Fireplace Collection

Regency Horizon HZ54E	4
Regency Horizon HZ40E	6
Regency Horizon HZ30E	8
Regency Horizon HZ42STE	10
Regency Horizon HZ965E	12
Regency Horizon HZ33CE	14
Design Options	16
Specifications	20



# Regency Horizon®

## HZ54E Large Contemporary Gas Fireplace



Regency Horizon HZ54E shown with safety screen, stainless steel faceplate, black enamel reflective panels and black crystals.

### Wide View, Dramatic Flames

The Regency Horizon® HZ54E offers a wide angle view of a unique and dramatic flame, perfect for contemporary homes and open concept living spaces. Inner reflective panels amplify the appearance of the stunning fire. Contemporary styling is paired with practical function, delivering consistent, controllable heat - even during power outages.



Regency Horizon HZ54E shown with safety screen, Verona glass surround in pure black, black enamel reflective panels, black crystals and driftwood log set.



Regency Horizon HZ54E shown with safety screen, black faceplate, black panels, crystals and volcanic stones.



Specifications	NG	LP
Input (BTU)	41,500	37,000
Turn down to (BTU)	29,000	30,000
EnerGuide Rating (Canada only)	64.87%	68.31%
Efficiency (steady state)	70%	75%

Dimensions		
View area		615 sq.in
Metal Faceplate	Width	56-11/16"
	Height	25-1/8"

For additional surround dimensions see page 23.  
For detailed specifications please see pages 20-22.

#### Standard Features

- Natural gas or propane
- Safety screen
- 39" burner covered with crystals (purchased separately)
- Wall mounted on/off switch
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Direct vent
- Limited lifetime warranty

#### Optional Features

- Contemporary frame & faceplate in black or brushed stainless steel
- Verona glass surrounds in a variety of colors
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Firebeads in various colors
- Volcanic stones, natural river pebbles
- Driftwood log set
- Wall thermostat
- AstroCap® venting
- Variable speed blower
- HeatWave™ power duct kit & HeatRelease™ kit
- Steel stud framing kit (recommended)

# Regency Horizon®

## HZ40E Medium Contemporary Gas Fireplace



Regency Horizon HZ40E shown with safety screen, Verona glass surround in chocolate brown, black crystals and driftwood log set.

### Dramatic Flame with Perfect Heat

Feature a stunning firescape in your space with the Regency Horizon HZ40E, a mid-sized contemporary gas fireplace offering a dramatic flame and ample heat. Rev up the atmosphere with glass crystals in a choice of colors, or create a tranquil escape using spa stones or driftwood logs. Transform any room into an experience with the Regency Horizon HZ40E.



Regency Horizon HZ40E shown with black inner frame and garnet luster firebeads (clean edge install).



HZ40E shown with black inner frame, volcanic stones and black enamel inner panels.



HZ40E shown with stainless steel Verona faceplate, obsidian firebeads and black enamel inner panels.



Specifications	NG	LP
Input (BTU)	26,000	25,500
Turn down to (BTU)	18,000	21,000
EnerGuide Rating (Canada only)	65.19%	66.70%
Efficiency (steady state)	70%	71%

Dimensions		
View area		464 sq.in.
Clean finish (inner frame)	Width	38-1/4"
	Height	16-7/8"
Metal 4 pc.	Width	48-3/4"
	Height	23-5/8"

For additional surround dimensions see page 23.  
For detailed specifications please see pages 20-22.

**Standard Features**

- Natural gas or propane
- Safety screen
- 30" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Wall mounted on/off switch
- Direct vent
- Limited lifetime warranty

**Optional Features**

- Clean edge install
- Contemporary faceplate 2 colors (in 2 styles)
- Verona glass surrounds in various colors
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Firebeads in various colors
- Natural river pebbles
- Driftwood log set
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- HeatWave™ power duct kit and HeatRelease™ kit
- Steel stud framing kit (recommended)

# Regency Horizon®

## HZ30E Small Contemporary Gas Fireplace



Regency Horizon HZ30E shown with stainless steel Verona faceplate, black enamel inner panels and obsidian firebeads.

### Frameless Style

The smaller profile of the Regency Horizon HZ30E features a wide view design set in a seamless frame. With minimal impact on floor space, the HZ30E offers modern styling with options that can be easily integrated into any room, providing great looks with just the right amount of warmth and comfort.





Regency Horizon HZ30E shown with Verona glass surround in pure black, black enamel reflective panels, black crystals and volcanic stones.



HZ30E shown with black inner & outer frame, black enamel inner panels, black crystals and driftwood log set.



HZ30E shown with black inner frame, black enamel inner panels and copper crystals (clean edge install).



Specifications	NG	LP
Input (BTU)	14,000	13,000
Turn down to (BTU)	--	--
EnerGuide Rating (Canada only)	69.69%	69.72%
Efficiency (steady state)	70%	70%

Dimensions		
View area		251 sq. in.
Clean finish (inner frame)	Width	27-5/8"
	Height	14-1/16"
Metal 4 pc. Faceplate	Width	33-1/4"
	Height	19-1/2"

For additional surround dimensions see page 23.  
For detailed specifications please see pages 20-22.

**Standard Features**

- Natural gas or propane
- Safety screen
- 20" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Wall mounted on/off switch
- Direct vent
- Limited lifetime warranty

**Optional Features**

- Clean edge install
- Contemporary faceplate in 2 colors
- Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- Driftwood log set
- Crystals in various colors
- Firebeads in various colors
- Volcanic Stones, Ceramic Spa Stones
- Natural river pebbles
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- Steel stud framing kit (recommended)

# Regency Horizon®

HZ42STE Contemporary See-Through Gas Fireplace



Regency Horizon HZ42STE shown with stainless steel Verona faceplate and black crystals.

## Two Rooms, One Fire

Create two fire views from separate rooms with the Regency Horizon™ HZ42STE see-through gas fireplace. This dual-sided fireplace offers a cost-effective way to divide a space while maintaining an open feel. Different wall finishes create an even more dramatic experience, delivering the ultimate two-fireplace look.



Regency Horizon HZ42STE shown with black faceplate, reflective panels, black crystals and driftwood log set.



Specifications	NG	LP
Input (BTU)	26,000	24,500
Turn down to (BTU)	17,500	19,500
EnerGuide Rating (Canada only)	66.96%	68.71%
Efficiency (steady state)	70%	72%

Dimensions		
Metal Faceplate	Width	48-3/4"
	Height	23-5/8"
View area		928 sq.in.

For additional surround dimensions see page 23.  
For detailed specifications please see pages 20-22.

#### Standard Features

- Natural gas or propane
- Safety screens
- 30" burner covered with crystals (purchased separately)
- Wall mounted on/off switch
- Proflame remote control
- Electronic ignition with SureFire™ switch
- Direct vent
- Limited lifetime warranty

#### Optional Features

- Clean edge install
- Contemporary faceplate various colors
- Verona glass surrounds in various colors
- Black enamel inner reflective panels
- Natural river pebbles
- Ceramic spa stones
- Crystals in various colors
- Firebeads in various colors
- Driftwood log set
- Wall thermostat
- AstroCap® Venting
- Steel stud framing kit (recommended)

# Regency Horizon®

## HZ965E Large Contemporary Gas Fireplace



HZ965E shown with safety screen, enamel reflective panels and black crystals (clean edge install).

### Bold Flames, Big Style

Create a glowing centerpiece in your home with the Regency Horizon HZ965E gas fireplace. Styled for contemporary environments, this large fireplace features an inset design that allows finish materials to be installed to the edges for a clean design aesthetic. With one of the largest viewing areas in the Regency collection, the HZ965E offers an impressive view of the flames through heat radiating ceramic glass. A wide range of accessories and finish options make this fireplace an excellent choice for larger modern living spaces.



HZ965E shown with safety screen, black enamel reflective panels and copper crystals (clean edge install).



Specifications	NG	LP
Input (BTU)	48,000	48,000
Turn down to (BTU)	16,000	17,000
EnerGuide Rating (Canada only)	63.11%	63.46%
Efficiency (steady state)	79%	79%

Dimensions		HZ965E
View area		965 sq.in.
Clean finish	Width	36-13/16"
	Height	33-1/4"

For detailed specifications please see pages 20-22.

#### Standard Features

- Natural gas
- Safety screen
- Clean face front with ceramic glass
- Linear fire bed covered with glass crystals (purchased separately)
- Split flow burner to allow for variable heat control
- Black enamel inner reflective panels
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Wall mounted on/off switch
- Direct vent
- 45° flue for versatile installations
- Limited lifetime warranty

#### Optional Features

- Crystals in various colors
- Firebeads in various colors
- Volcanic stones or ceramic spa stones
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- Heat distribution kit
- Power vent Kit
- AstroCap® venting system



HZ33CE shown with enamel reflective panels and copper glass crystals (clean edge install).

### Combining Fire & Art

Creating the right look for your space has never been easier with the Regency Horizon HZ33CE gas fireplace. This medium-sized fireplace offers a wide range of finishing options to suit any décor. Choose from a frameless clean face look to one of Regency's contemporary surrounds. Finish the firebed with glass crystals in a choice of colors, then add ceramic spa stones, volcanic stones or driftwood logs to achieve the look you want.



HZ33CE shown with Verona 33 surround in stainless steel, black enamel reflective panels, black crystals and volcanic stones.



HZ33CE shown with Verona Glass surround in black, black enamel reflective panels, black crystals and volcanic stones.



HZ33CE shown with black enamel reflective panels, black crystals, and driftwood log set (clean edge install).



HZ33CE shown with black enamel reflective panels, black crystals, volcanic stones and Pacific Wave surround.

Specifications (NG)*	NG	LP
Input (BTU)	17,000	15,500
Turn down to (BTU)	10,000	12,000
EnerGuide Rating (Canada only)	65.71%	65.60%
Efficiency (steady state)	69%	69%

Dimensions		HZ33CE
View area		416 sq.in.
Clean finish	Width	29-7/16"
	Height	21-3/8"

For additional surround dimensions see page 23.  
For detailed specifications please see pages 20-22.

#### Standard Features

- Natural gas
- Safety screen
- Clean face front with ceramic glass
- Linear firebed (glass crystals purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Wall mounted on/off switch
- Direct vent
- 45° flue for versatile installations
- Limited lifetime warranty

#### Optional Features

- Pacific Wave surround
- Verona surround in various colors
- Black enamel inner reflective panels
- Driftwood log set
- Crystals in various colors
- Firebeads in various colors
- Volcanic stones or ceramic spa stones
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- AstroCap venting system

# Integrated Fireplace Solutions



## Design Options

### Clean face option



HZ30E



HZ40E



HZ33CE



HZ965E

### Metal Surrounds



Inner and outer frame  
HZ30E/HZ40E/HZ54E



Verona Metal surround  
HZ30E/HZ40E/HZ42STE



Verona Metal surround  
HZ33CE

### Glass Surrounds



Verona Glass Surround  
HZ54E



Verona Glass Surround  
HZ30E/HZ40E/HZ42STE



Verona Glass Surround  
HZ33CE

### Wood Surround



Pacific Wave Surround  
HZ33CE

See page 23 for surround dimensions




# Firebed Options

## Crystals & Firebeads



Crystals - Black



Crystals - Copper



Crystals - Starfire



Firebeads - Obsidian



Firebeads - Amber



Firebeads - Glacier Ice



Firebeads - Garnet Luster

## Stones & Logs



Volcanic Stones - Gray



Volcanic Stones - Tan



Ceramic Spa Stones



Driftwood Ceramic Log Set

## Inner Panels



Reflective Black Enamel Panels



Natural River Pebbles

## Accent Pebbles

# Finishing Options

## Metal Surrounds



Black



Stainless Steel

## Glass Surrounds



Pure Black



Chocolate Brown

## Wood Surround




Black

# design choices - at a glance

			HZ54E	HZ40E	HZ30E	HZ42STE	HZ965E	HZ33CE
Clean face design option			-	✓	✓	✓	✓	✓
Metallic Surrounds	Faceplates & Verona Surrounds	Black	★	★	★	★	-	★
		Brushed stainless steel	★	★	★	★	-	★
Glass Surrounds	Verona Glass Surrounds	Pure Black	★	★	★	★	-	★
		Chocolate Brown	★	★	★	★	-	★
Pacific Wave		Black	-	-	-	-	-	★
Safety Screen			✓	✓	✓	✓	✓	✓
Interior options	Regency Horizon firebed	Crystals - various colors	★	★	★	★	★	★
		Firebeads - various colors	★	★	★	★	★	★
		Ceramic spa stones	★	★	★	★	★	★
		Volcanic stones	★	★	★	★	★	★
	Driftwood ceramic logs	★	★	★	★	-	★	
	Accent pebbles (for firebox floor)	Natural river pebbles	★	★	★	★	★	★
Inner panels	Black enamel		★	★	★	★	✓	★
	Remote controls	Proflame GTMF	✓	✓	✓	✓	-	✓
Contols	Proflame GTMFS		-	-	-	-	✓	-
	Wall mounted On/Off switch		✓	✓	✓	✓	✓	✓
Thermostat		★	★	★	★	★	★	★
Variable speed blower			★	★	★	-	-	★
Venting	Direct Vent		✓	✓	✓	✓	✓	✓
	AstroCap® Venting System		★	★	★	★	★	★
	HeatWave power duct kit or Heat distribution kit		★	★	-	-	★	-
	HeatRelease kit		★	★	-	-	★	-
LP conversion kit			-	-	-	-	★	★

- Not available
- ✓ Standard
- ★ Optional

**Safety Screen - included**  
Regency has integrated a custom designed safety screen into each faceplate design that meets or exceeds current North American safety legislation.



## Regency Remote and Thermostat Comfort Control

Create optimal comfort with ease and convenience at the touch of a button with a Regency Comfort Control System. Our user friendly programmable controls can be set, adjusted and programmed for your fireplace to come on at the temperature you want when you want it. Regency control systems are available with a variety of features to suit your household home heating needs.



Proflame Remote Control



Thermostat

Feature	Description	Proflame Remote	Programmable
		GTMF	Thermostat
On/Off		✓	✓
Child lock		✓	-
LCD Backlit Screen		✓	✓
Clock		-	✓
Temperature display	°F / °C	✓	✓
Thermostat	one setting (all days)	✓	✓
	5-day day weekday & 2-day weekend	-	✓
Smart thermostat*		✓	-
Flame adjustment	(6 levels)	✓	-
Split flow burner control	(back burner on/off)	-	-
Fan control**	(6 levels)	✓	-
Accent light (On/Off)***		✓	-

\* Smart Thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature and as the room reaches your personal setting, the flame intensity and heat will gradually decrease – keeping the ambiance of your Regency fire on with less heat output and the option to turn off at any time.

\*\* For models that have a blower.

\*\*\* For models that have an optional accent light.

## Maximizing Comfort and Efficiency

Regency Fireplaces deliver controllable heat solutions combining the latest in radiant/convection heat technology and innovative features.


- ☑ Adjustable flame/heat control
- ☑ Heat radiating ceramic glass for maximum radiant heat performance
- ☑ **SureFire Electronic Ignition** switch with battery backup features fuel saving intermittent pilot ignition, conserving energy when not in use.
- ☑ **Power's Out, Heat's On.** Never worry about being cold in a power outage again! All Regency gas fireplaces operate without electricity. Enjoy peace of mind all winter long.

## Direct Vent Technology

You can enjoy the convenience of a gas fireplace anywhere in your home with a Regency Direct Vent Fireplace. Regency Direct Vent Fireplaces maintains indoor air quality by drawing fresh combustion air from outside through our specialized venting system into a sealed firebox and sending the used air back outdoors.

## Design Versatility

Direct Vent technology allows you to add a fireplace to rooms even if there is no existing chimney. Simply vent your fireplace through an outside wall and finish it with the Regency Patented **AstroCap® Flex Venting System**.



AstroCap (painted to match home)


## Specifications

Specifications	HZ54E		HZ40E		HZ30E		HZ42STE		HZ965E		HZ33CE	
	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP
Input (BTU)	41,500	37,000	26,000	25,500	14,000	13,000	26,000	24,500	48,000	48,000	17,000	15,500
Turn down to (BTU)	29,000	30,000	18,000	21,000	--	--	17,500	19,500	16,000	17,000	12,000	12,000
EnerGuide Rating (Canada only)	64.87%	68.00%	66.82%	67.80%	69.69%	69.72%	66.96%	68.71%	63.00%	63.00%	65.71%	65.60%
Efficiency (steady state)	67%	71%	70%	71%	70%	70%	70%	72%	79%	79%	69%	69%


## Dimensions

Dimensions	HZ54E	HZ40E	HZ30E
Flue size	5" x 8"	4"x6-5/8"	4"x6-5/8"
A	59"	49-5/16"	30-9/16"
B	52-5/8"	45-5/8"	28-11/16"
C	31-5/8"	33-3/16"	27-1/16"
D	48-3/4"	39-3/16"	27-5/8"
E	35-1/4"	31"	25-3/4"
F	20-1/2"	18-5/16"	13-1/8"
G	22-3/8"	16-7/8"	14-9/16"
H	5-11/16"	10"	6-3/8"
I	3-1/8"	3-1/4"	3-1/8"

### Regency Horizon™ HZ54E




### Regency Horizon™ HZ40E/HZ30E




Dimensions	HZ42STE
Flue size	4"x6-5/8"
A	53-3/4"
B	42-7/8"
C	32-1/8"
D	34-1/2"
E	39-11/16"
F	31-1/4"
G	14-15/16"
H	16-13/16"
I	8-5/16"
J	3"
K	21"

### Regency Horizon™ HZ42STE




### Regency Horizon™ HZ965E



Dimensions	HZ965E	HZ33CE
Flue size	5" x 8"	4"x6-5/8"
A	36-13/16"	23"
B	18-3/4"	34-9/16"
C	5-1/4"	29-1/4"
D	44-5/8"	29-7/16"
E	43"	26-1/16"
F	33-1/4"	16"
G	52-5/16"	21-3/8"
H	39-11/16"	3"
I	41-3/16"	2-1/2"

### Regency Horizon™ HZ33CE





## Framing


Framing	HZ54E	HZ40E	HZ30E
A	46-5/8"	42"	33-5/16"
B	60"	49-7/8"	31-3/16"
C	horizontal vent 23-3/4"	21-3/16"	15"
	vertical vent 23-3/4"	25-3/16"	21-1/4"
D	flex 51"	43-7/8"	32-7/8"
	rigid 51"	43-7/8"	35-1/2"
E	69"	61"	43-5/16"
F	97-9/16"	86-1/4"	61-1/4"

\* If using optional steel stud kit refer to manual for details

### Regency Horizon™ HZ54E/HZ40E/HZ30E




### Regency Horizon™ HZ54E




**Note:** Three (3) horizontal steel studs must be installed after the unit is in position and the venting, gas, and electrical is installed. The horizontal studs allow the non-combustible wall board to be attached and supported.

### Regency Horizon™ HZ40E



### Regency Horizon™ HZ30E





Framing	HZ42STE
A Framing Depth*	20" (508mm) **minus 2X the finished material thickness
B Framing Height	42" (1067mm)
C Framing Width	54" (1372mm) Horizontal /58" (1473mm) Vertical Vent
H Min. Height to Combustibles	42" (1067mm)

\* Framing depth measurement is noted with nailing strips (top & sides) set as far forward on the firebox as possible. The nailing strips can be adjusted (on both sides) to allow for varying thicknesses in noncombustible material and wall finishes.

\*\* Finished material thickness includes: non combustible material, tile slate, etc. (example framing = 20" - if 2" thick finishing material is used (on both sides)=16"

### Regency Horizon™ HZ42STE





Steel studs - for ease of installation of non combustible material-after Part I is complete.  
\* Install after unit in place with gas connection, electrical and venting completed.

Framing	HZ965E	HZ33CE
A	52-5/16"	31-3/4"
B	44-3/4"	35"
C	vertical rise 24"	22-3/4"
	horizontal rigid 24"	19-3/4"
	horizontal flex 24"	16"
D	rigid** 80"	36"
	flex** 80"	32"
E	64"	38-15/16"
F	90-15/16"	55-1/2"
G	0"	0**

\* when not using surround (might differ when using surrounds)

\*\* minimum height from the base of the unit

### Regency Horizon™ HZ965E/HZ33CE



**NOTE:** If this is an outside corner, the minimum distance between the vent and the outside corner is 6" (15cm) with AstroCap termination cap or 12" (30cm) with Rigid Vent termination cap.  
(For example Dura-Vent)

**NOTE:** All products can be installed in a raised application. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site [www.regency-fire.com](http://www.regency-fire.com)

# specifications

## Clearances


Clearances	HZ54E	HZ40E	HZ30E	HZ42STE
A*	20"	17"	13-1/4"	17"
B	4"	8"	8"	7" Horizontal 9" Vertical
C	40-7/8"	22"	39"	22"
D**	13"	13"	12"	12"
E	83"	84"	60"	84"
F	36"	36"	36"	36"
G	28-7/8"	27"	21"	25-1/4"

\* Minimum at 1" deep


\*\* HZ30E - Minimum at 21-1/4" above

HZ42STE - Minimum at 21-1/2" above


HZ54E - Minimum at 30" above




Regency Horizon™ HZ54E



Regency Horizon™ HZ40E




Regency Horizon™ HZ30E






Clearances	HZ965E	HZ33CE
A	20"	17"
B	4"	8"
C	40-7/8"	22"
D	13"	13"
E	83"	84"
F	min. 36"	36"
G	max. 28-7/8"	27"

\* For complete instructions please see manual

Regency Horizon™ HZ965E



Regency Horizon™ HZ33CE



# surround dimensions


Surround Dimensions		A	B	C	D	E
HZ54E	Verona 54 - glass/metal	58-11/16"	2-1/8"	45-3/16"	13-5/8"	-
	Inner and outer frame	56-11/16"	25-1/8"	49-3/16"	17-5/8"	-
HZ42STE/ HZ40E <small>*Available for HZ40E only</small>	Verona 40 - glass*/ metal	44"	20-7/8"	36"	12-7/8"	-
	Inner and outer frame*	43-1/16"	20-9/16"	35-1/2"	12-1/2"	-
HZ33CE	Pacific Wave 33 - wood	55-1/2"	43-15/16"	29-1/2"	21-7/16"	60-1/8"
	Verona 33 - glass/metal	42-5/16"	36-3/4"	29-1/2"	21-1/2"	-
HZ30E	Verona 30 - glass/metal	30"	18-1/2"	25"	10-1/2"	-
	Inner and outer frame	32-3/8"	18-1/16"	27-7/8"	10-1/8"	-

## Metal

## Glass

### Inner & Outer Frame


Available for models:  
**HZ30E, HZ40E & HZ54E**



### Verona


Available for models:  
**HZ30E, HZ33CE,  
HZ40E & HZ42STE\***

\*HZ42STE available in Metal only



### Verona


Available for models:  
**HZ54E**




## Wood


### Pacific Wave

Available for models:  
**HZ33CE**

 Optional tiling can be applied in this area



FRONT



SIDE



TOP

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site [www.regency-fire.com](http://www.regency-fire.com)

# Fireplace planning made simple

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

[www.regency-fire.com](http://www.regency-fire.com)

1



#### CLICK!

Take a photo of your desired room location.

2



#### DESIGN

Go to [www.regency-fire.com](http://www.regency-fire.com) and design your perfect fireplace with the Fireplace Design Center.

3



#### VISUALIZE

Upload your room photo and see how the fireplace will look in your own home.

4



#### VISIT A REGENCY STORE

Show your plan to one of our sales associates for expert advice. Your authorized Regency dealer will advise you on all the technical aspects and install your Regency.

5



#### NO CHIMNEY? NO PROBLEM!

Direct vent technology means you no longer need an expensive, elaborate chimney. Simply vent your fireplace through an outside wall and finish it with an AstroCap™.

6



#### ENJOY!

your regency dealer

